



STANDARD
T I L E S

Walk with Pride

ESTD 1991



ABOUT OUR JOURNEY

Standard Tiles was established in the year 1991. At our initiation, we were a small team of less than 20 people. Our core team members played multiple roles to carry forward the tasks of understanding the customer requirements, Industry standards, market challenges, technicalities, etc. We started our journey with the manufacturing of mosaic tiles. We were able to cater to the customer(s) needs because of a quality product and worked on numerous residential and commercial projects. Thus creating a recognition for ourselves in terms of service and quality. At the same time, Standard tiles also ventured into the manufacturing of economy paver blocks under the tutelage of our chairman. Soon we grew into a small scale industry, serving to the customer(s) needs not only in the twin cities of Hyderabad and Secunderabad but also in the neighboring districts and have also executed many projects in major cities/ towns of Andhra and Telangana. Standard tiles also had the unique opportunity to work on some projects outside of AP & Telangana.


We currently have established manufacturing units at Hyderabad, Vijayawada, Ongole and satellite manufacturing units at several other places. We also have a well spread network of dealers who help us reach out to customers and provide our valuable services to the masses. Standard tiles has been able to partner with prestigious clients, companies & organizations to work on infrastructure projects. We progressed with the knowledge and experience gained over many years, our product line expanded as we entered into the manufacturing of designer flooring tiles, heavy duty paver blocks, construction bricks, kerb stones, precast compound walls and precast concrete road dividers. Our current production capacity of 3 lakh sq.ft per month makes us one of the leading manufacturers in the area of designer flooring tiles, heavy duty paver blocks.

Quality policy...

We are a quality driven organization laying utmost importance to ensure the quality of products and timely delivery. We implement an extensive quality control and comprehensive management system on step by step process of raw material selection sourced from reputed suppliers, finished product segregation and processing of loading the products into containers. Our quality control team inspects every product prior to its final dispatch thereby provide the best to our clients. Our team of experts keep strict observance upon every stage of production and processing.


Our tiles and blocks ranging in aesthetic designs and expert craftsmanship readily break conventions, blazing bold, unique paths that bring together innovative movements in color, form and design. Tiles that are manufactured with innovative designs to meet the client's requirement in 12 unique colors by utilizing the rich composition of high grade pigments and other quality raw materials. In built anti skid properties further strengthen our tiles.

“QUALITY, RELIABILITY AND COMMITMENT” IS OUR “MANTRA”



◀ DOTS



Area : 1.00sft
Size : 304 x 304mm
Thickness : 25mm



STANDARD
T I L E S
Walk with Pride

CADBURY ▶


Area : 1.00sft
Size : 304 x 304mm
Thickness : 25mm






MELODY


Area : 1.25sft
Size : 340 x 340mm
Thickness : 25mm



SHINE

Area : 1.00sft
Size : 304 x 304mm
Thickness : 28mm






◀ COSMIC

Area : 1.25sft
Size : 340 x 340mm
Thickness : 30mm



ROYAL ▶


Area : 1.00sft
Size : 304 x 304mm
Thickness : 25mm







TABLET


Area : 1.55sft
Size : 304 x 304mm
Thickness : 25mm



SQUAREBUTTON

Area : 1.55sft
Size : 380 x 380mm
Thickness : 25mm





PLAIN

Area : 1.00sft
Size : 304 x 304mm
Thickness : 25mm



STANDARD
T I L E S

Walk with Pride

STEP 1




Area : 1.00sft
Thickness : 25mm


STEP 2

Area : 2.00sft
Thickness : 28mm

RAISER 1 & 2

Area : 1.00 & 0.50Ssft
Thickness : 25mm







POLO

Area : 1.25sft
Size : 340 x 340mm
Thickness : 30mm



SQUAREPLUS

Area : 1.00sft
Size : 304 x 304mm
Thickness : 25mm



◀ DUMBELL



Area : 0.40sft
Size : 270 x 188mm
Thickness : 60mm



STANDARD
T I L E S


Walk with Pride

MILAN ▶

Area : 0.43sft
Size : 265 x 215mm
Thickness : 60mm



◀ ZIG ZAG




Area : 0.35sft
Size : 250 x 125mm
Thickness : 80mm




I LOCK ▶

Area : 0.5sft
Size : 280 x 195mm
Thickness : 60mm



◀ BRICK PAVER



Area : 0.22sft
Size : 200 x 100mm
Thickness : 60mm



STANDARD
T I L E S
Walk with Pride

SQUARE PAVER ▶

Area : 0.43sft
Size : 200 x 200mm
Thickness : 60mm





ROCKY


Area : 0.37sft
Size : 315 x 280mm
Thickness : 60mm



HEXAGON 1




Area : 0.95sft
Size : 315 x 280mm
Thickness : 60mm



HEXAGON 2


Area : 0.50sft
Size : 230 x 230mm
Thickness : 60mm





COMBI PAVERS

Area : 200 x 100 mm
 200 x 125 mm
 200 x 175 mm
 200 x 225 mm
 200 x 275 mm
 Thickness 60 mm




STANDARD
 T I L E S

Walk with Pride

ECO ZIG ZAG 2

Area : 0.29sft
 Size : 225 x 110mm
 Thickness : 60 mm
 Thickness : 80 mm



ECO HEXAGON



Area : 0.35sft
Size : 200 x 200mm
Thickness : 60mm



ECO I LOCK


Area : 0.3sft
Size : 200 x 165mm
Thickness : 60mm





◀ GRASS PAVERS 1


Area : 0.76sft
Size : 265 x 265mm
Thickness : 60mm



STANDARD
T I L E S
Walk with Pride

GRASS PAVERS 2 ▶


Area : 1 sft
Size : 304 x 304mm
Thickness : 60mm



KERB STONES


TAPER TYPE

600 x 400 x 110mm




TAPER TYPE

450 x 450 x 150 mm




ROUND SHAPED

600 x 325 x 150mm




1 FEET MODEL


304 x 375 x 110mm



TAPER TYPE


300 x 600 x 125 mm






PRECAST ROAD DIVIDER

915 x 500 x 755mm



PRECAST RCC DIVIDER

750 x 400 x 600mm





F-SHAPE PRECAST DIVIDER BLOCK WITH DRAINAGE PROVISION

1200 x 580 x 885mm




PRECAST DIVIDER BLOCK WITH DRAINAGE PROVISION

1000 x 500 x 755mm



ROAD DIVIDER


914 x 500 x 300mm



MAGIC

Area : 1sft

Thickness 25 mm



STAR

Area : 1sft


Thickness 25 mm



DRAIN COVER

100 x 304 x 600 mm

75 x 304 x 600 mm




GRASS PAVER

Area : 400 x 300 mm
Thickness 80 mm



COLOURS AVAILABLE



Terracota

Nut Brown

SGY

Dholpur

DGY

BLACK

SOME OF OUR VALUABLE CUSTOMERS

